


GLOWLIFE

light up your life



Cordless Table Lamps Catalogue

Glow Life Lighting LLC

Tel: +971 2 644 4090 | +971 55 2459231 | Fax: +971 2 644 4807

P.O Box: 31959 / Abu Dhabi / United Arab Emirates







Product performance:

- Wireless Qi intelligent charging system
- Aluminum alloy body
- Waterproof
- Interchangeable shades & bases
- Smart Tuya App. control
- Bluetooth remote control
- Built-in charging indicator
- Battery indicator



NEW TUYA CORDLESS TABLE LAMP

WIFI Smart Table Lamp, Tuya App Control. This table lamp can display 16 million colors and also functions as a normal warm white lamp and brightness dimmable too. App control and infrared remote control. You can control the LED Lamp with voice commands and mobile. induction rechargeable, portable and waterproof.

LED 2W RGB Light performance
 IP68 Waterproof Resistant
 15-18hours. Burning time
 8hours Charging time
 500times Life cycle
 500000hrs Lifespan
 D100*272 mm Size
 130lm/w Luminous efficacy



Introduction

Definition

LED Cordless Table Lamp is a kind of Lithium powered table lamp without wire.

Features

- Cordless, convenient to portable.
- Iron,Aluminum or PMMA Body.
- USB charging, plug charging or Wireless charging
- Safety Built-in Lithium Battery.
- Dimmable,3-level touch dimmer offer different brightness.
- Waterproof: IP54/IP20



Application

Modern Hotel, Restaurant,Bedroom
Bedside, Night stand,Bars,Living
Rooms,Study, Camping,Outdoor.

Product List



No1.Brushed Silver



No2.Brushed Gold



No3.Brushed Copper



No4.Coffee



No5.White



No6.Black



TX01 Model

1. Light source: LED
2. Power: 2.4W/1.8W/0.5W
3. Lithium battery:1800mAh
4. Color temp: 3000K
5. Power: Plug
6. Switch: Touch three level &button
7. Materil: Iron

Charge & Working Hours


1. Light source: LED
2. Power: 2.4W/1.8W/0.5W
3. Lithium battery:1800mAh
4. Color temp: 3000K
5. Power: Plug
6. Switch: Touch three level &button
7. Materil: Iron

Certificate: CE ROHS



TX01-W Model



1. Light source: LED
2. Power: 2.4W/1.8W/0.5W
3. Lithium battery: 1800mAh
4. Color temp: 3000K
5. **Power: Plug + wireless charge**
6. Switch: Touch three level & button
7. Material: Iron
8. Support customize: color, battery aluminum body



Charge & Working Hours

1. Charging : 3-4h
2. Working: 5-8h
3. Charging when red light up
4. Full charged when green light up

Certificate: CE ROHS



Charging panel

Plug

Tray charger



No1.Brushed Silver



No2.Brushed Gold



No3.Brushed Copper



No4.Coffee




No5.White



No6.Black

PT02 Model


1. Light source: LED
2. Power: 2.4W/1.8W/0.5W
3. Lithium battery:1800mAh
4. Color temp: 3000K
5. Power: Plug
6. Switch: Touch three level & button
7. Materil: Iron
8. Support customize: color, battery



Charge & Working Hours


1. Charging : 3-4h
2. Working: 5-8h
3. Charging when red light up
4. Full charged when green light up

Certificate: CE ROHS



PT02-W Model


1. Light source: LED
2. Power: 2.4W/1.8W/0.5W
3. Lithium battery: 1800mAh
4. Color temp: 3000K
5. **Power: Plug + Wireless charge**
6. Switch: Touch three level & button
7. Material: Iron
8. Support customize: color, battery



Charge & Working Hours

1. Charging : 3-4h
2. Working: 5-8h
3. Charging when red light up
4. Full charged when green light up


Certificate: CE ROHS



Charging panel

Plug

Tray charger





No1.Brushed Silver



No2.Brushed Gold



No3.Brushed Copper



No4.Coffee




No5.White



No6.Black

BY03 Model


1. Light source: LED
2. Power: 2.4W/1.8W/0.5W
3. Lithium battery: 1800mAh
4. Color temp: 3000K
5. Power: Plug
6. Switch: Touch three level & button
7. Material: Iron
8. Support customize: color, battery



Charge & Working Hours


1. Charging : 3-4h
2. Working: 5-8h
3. Charging when red light up
4. Full charged when green light up

Certificate: CE ROHS



BY03-W Model


1. Light source: LED
2. Power: 2.4W/1.8W/0.5W
3. Lithium battery: 1800mAh
4. Color temp: 3000K
5. **Power: Plug + Wireless charge**
6. Switch: Touch three level & button
7. Material: Iron
8. Support customize: color, battery



Charge & Working Hours

1. Charging : 3-4h
2. Working: 5-8h
3. Charging when red light up
4. Full charged when green light up

Certificate: CE ROHS



Charging panel

Plug

Tray charger





No1.Sand brown



No2.Champagne Gold



No3.Gold



No4.Gold Foil



No5.Silver Foil



No6. white



No7.Black

P3DG-X Model

1. Light source: LED
2. Power: 3.5W
3. Lithium battery: 5200mAh
4. Color temp: 3000K
5. Power: USB
6. Switch: Touch&Dimming
7. Material: Aluminum+acrylic
8. Waterproof: IP54
9. Adjustable Height
10. Support customize



Charge & Working Hours

1. Charging : 4-5h
2. Working: 15-20h
3. Charging when red light up
4. Full charged when green light up

Certificate: CE ROHS




Wireless Charge



P3DG-W Model

1. Light source: LED
2. Power: 3.5W
3. Lithium battery: 5200mAh
4. Color temp: 3000K
5. **Power: USB + wireless charge**
6. Switch: Touch&Dimming
7. Material: Aluminum+acrylic
8. Waterproof: IP54 (customized)








Charging panel

Charge & Working Hours

1. Charging : 4-5h
2. Working: 15-20h
3. Charging when red light up
4. Full charged when green light up

Certificate: CE ROHS







No1.Black



No2.Grey



No3.Gold

GX05 Model

1. Light source: LED
2. Power: 3.5W
3. Lithium battery:1800mAh
4. Color temp: 3000K
5. Power: USB
6. Switch: Press button
7. Material: Aluminum
8. Customized Height/Color/Battery



No4.Silver



Size: S M L

Charge & Working Hours

1. Charging:3-4h
2. Working:5-8h
3. Charging when red light up
4. Full charged when green light up

Certificate: CE ROHS





GX05-W Model

1. Light source: LED
2. Power: 3.5W
3. Lithium battery: 1800mAh
4. Color temp: 3000K
5. **Power: USB + wireless charge**
6. Switch: Press button
7. Material: Aluminum
8. Customized Height/Color/Battery



Charging panel



Size: S M L

Charge & Working Hours

1. Charging: 3-4h
2. Working: 5-8h
3. Charging when red light up
4. Full charged when green light up

Certificate: CE ROHS











PT19 Model

1. Light source: LED
2. Power: 3.5W
3. Lithium battery: 4000mAh
4. Color temp: 3000K
5. **Power: USB**
6. Switch: Touch button
7. Material: Aluminum
8. Customized Color/height





Charge & Working Hours

1. Charging: 4-6h
2. Working: 10-15h



Disassembly for cheap transportation

Combined easily





FL11 Model

1. Light source: LED
2. Power: 2.5W
3. Lithium battery: 2600mAh
4. Color temp: 2700K
5. **Power: USB**
6. Switch: Touch & Dimming
7. Material: Metal & Acrylic
8. Customized Color/Battery



Charge & Working Hours

1. Charging: 3-4h
2. Working: 5-8h
3. Charging when red light up
4. Full charged when green light up







No1. Black



No2. Rose Gold

XM12 Model


1. Light source: LED
2. Power: 3W
3. Lithium battery: 1200mAh
4. Color temp: 2700K
5. Power: USB
6. Switch: Touch three level & button
7. Material: PMMA
8. Customized Height/Color/Battery



Charge & Working Hours

1. Charging : 4h
2. Working: 3-10h
3. Charging when red light up
4. Full charged when green light up

Certificate: CE ROHS



LED LIGHT




Touch switch
light color dimming and stepless dimming



USB charging port



Regular package






No1. Silver

No2. Gold

No1. Black



TX40 Model (Patent Model)


1. Light source: LED
2. Power: 3W
3. Lithium battery: 4000mAh
4. Color temp: 3000K
5. Power: USB cord
6. Switch: Button switch
7. Customized Color/Battery



Charge & Working Hours

1. Charging : 3-4h
2. Working: 5-8h
3. Charging when red light up
4. Full charged when green light up







Sand white

Sand Brown


Sand Black



Satin Nickel




Satin Brass



Polished chrome

CT77 Model (Patent model)

1. Light source: LED
2. Power: 3.5W
3. Lithium battery: 5200mAh
4. Color temp: 3000K
5. Power: USB
6. Switch: Touch & Dimming
7. Material: Iron + Aluminum + Acrylic
8. IP54 waterproof



Charge & Working Hours

1. Charging : 4-6h
2. Working: 12-15h
3. Charging when red light up
4. Full charged when green light up




Electroplating Finish color



Satin Nickel



Satin Brass



Polished chrome

Spray Painted Finish color



Sand Brown



Sand White




Sand Black



Champagne Gold

SM46 Model (XM79)

1. Light source: LED
2. Power: 3.5W
3. Lithium battery: 5200mAh
4. Color temp: 3000K
5. Power: USB
6. Switch: Touch & Dimming
7. Material: Iron + Aluminum + Acrylic
8. IP54 waterproof



Charge & Working Hours

1. Charging : 4-6h
2. Working: 12-15h
3. Charging when red light up
4. Full charged when green light up









Gold color -- Shade replaceable



Glow Life Lighting

BZ69 Model


1. Light source: LED
2. Power: 3W
3. Lithium battery: 1800mAh
4. Color temp: 3000K
5. Switch: Button Switch
6. Switch: Touch & Dimming
7. Material: Iron + Fabric
8. Shade replaceable



Charge & Working Hours

1. Charging : 4-6h
2. Working: 5-8h
3. Charging when red light up
4. Full charged when green light up







No.1 white



No2.Orange



No3. Grey



No.4 Green



No2. Blue



No3. Purple

SJ43 Model

1. Light source: LED
2. Power: 2W
3. Lithium battery: 1800mAh
4. Color temp: 3500-4000K (warm white)
5. Power: USB
6. Switch: Button switch
7. Material: PMMA
8. Customized Height/Color/Battery

Charge & Working Hours

1. Charging : 4h
2. Working: 3-10h
3. Charging when red light up
4. Full charged when green light up

Certificate: CE ROHS







NO.1

No.1 Grey



NO.2

No2.Organge



NO.3


No3. Transparent

SJ45 Model

1. Light source: LED
2. Power: 2W
3. Lithium battery: 1800mAh
4. Color temp: 3500-4000K (warm white)
5. Power: USB
6. Switch: Button switch
7. Material: Acrylic
8. Customized Height/Color/Battery


Charge & Working Hours

1. Charging : 3-4h
2. Working: 5-8h



Certificate: CE ROHS





High quality acrylic



USB charging



Sealing plug



No.1 Transparent

SJ46 Model


1. Light source: LED
2. Power: 3W
3. Lithium battery: 1800mAh
4. Color temp: 6000K
5. Power: USB
6. Switch: Touch switch
7. Material: PMMA
8. Customized Height/Color/Battery



Charge & Working Hours

1. Charging : 3-4h
2. Working: 5-8h

Certificate: CE ROHS







No1.White

No2.Gray

No3.Blue

No4.Yellow

No5.Red

No6.Black

SJ43 Model

1. Light source: LED
2. Power: 5W
3. Lithium battery: 4800mAh
4. Color temp: 3000K
5. Power: USB
6. Switch: Touch switch
7. Material: Aluminum
8. Customized Height/Color/Battery




Charge & Working Hours

1. Charging: 2-3h
2. Working: 8-13h
3. Charging when red light up
4. Full charged No4.Silver when green light up




Certificate: CE ROHS






DD26 Model

1. Light source: Bulb
2. Power: 3.5W
3. Lithium battery: 2600mAh
4. Color temp: 3000K
5. Power: Plug
6. Switch: Button switch
7. Material: Iron



Charge & Working Hours

1. Charging: 4-6h
2. Working: 5-8h







USB Model

- 1.hole 22 30 40 60
- 2.Total power:4v40A/200W
- 3.Voltage: AC 220v or 120V
- 4.Material: Iron
5. Color: White and Black



Product size:
112*68*26MM

Product Weight: 170g

Rated voltage: AC
100-240V

Output voltage: DC5V

Material: ABS+PC



Glow Life Lighting



Quiet fan

Solve the heat generated by
excessive power

Adopt roller mute to strengthen fan



Louvered cooling vents

Lily window cooling design

Use aluminium sheets and ICs to
dissipate heat

Beautiful and safe with cooling holes



Integrated switch design

100,000 times durable power switch
with 220V 10A fuse

Various input switches can be selected

22 Hole Charger



Voltage: AC 220V
Total power: 5V40A/200W
Size: 260*120*60mm
Weight: 1.5KG

30 Hole Charger



Voltage: AC 220V or 110V
Total power: 5V60A/300W
Size: 280*130*76mm
Weight: 2.5KG

40 Hole Charger



Voltage: AC 220V or 110V
Total power: 5V40A/200W
Size: 270*110*70mm
Weight: 1.5KG

60 Hole Charger



Voltage: AC 220V or 110V
Total power: 5V60A/300W
Size: 280*130*75mm
Weight: 2.5KG




Table lamp List



Black/white/coffee

TX01 Model



Gold/silver/coffee

PT02 Model



Silver/gold/copper

BY03 Model



Black/white/brown

P3DG-X Model



White/coffee/black

GX05 Model



Rose gold/black

XM12 Model



Gold/silver/black

TX40 Model



White/black/brown

CT77 Model



Gold

BZ69 Model



Blue+Gold

BZ78 Model



White/blue/grey

SJ43 Model



White/grey/orange

SJ45 Model




Clear

SJ46 Model




Grey/white/red/yellow

MG59 Model



Gold

PT67 Model



Color: White

PT19 Model



White/Coffe/Black

CT28 Model



Rose gold/Silver/White//Black

DD26 Model




Yellow/Grey/Pink/Red/Crystal

SJ68 Model




White/Black/Gold

ST35 Model



Gold

QP66 Model




Gold

CT64 Model



White/Gold

ST43 Model



Gold/Silver/Copper

PT63 Model




Milk Arcylic

DK50 Model



Milk /Organge

DK51 Model



White/Black/Yellow

SJ52 Model



Black/White

XI48 Model



Crystal color

SJ55 Model



White//Black

CT58 Model



Chrome/Wood/Red wood

SJ53 Model




Black

ST47 Model



Copper/Black

TX41 Model




Gold

PT2 Model



Gold/Silver

BZ23 Model



Gold/Rose Gold/Silver

BY61 Model



Sliver/Gold

BZ22 Model



White

PT29 Model




Gold

PT36 Model



Silver/Black/Gold

GX30 Model



Clear

SJ72 Model



Clear

LZ73 Model




Sliver/Gold

MG74 Model



Copper Gold

MX75 Model



Black/Brown

SM46 Model



Gold

SJ70 Model



Black/white/blue/yellow

MG59 Model

More....



GLOWLIFE
light up your life



Najda Street, Opposite of Burjeel Hospital
P.O. Box: 31959
Abu Dhabi, United Arab Emirates



info@glowlife.ae



971-55 245 9231



02-6444090, 02-6444807



glowlifeuae



www.glowlife.ae